

Connector - 7 poles with MULTI-GRIP



| Product description | |
|---------------------------|---------------|
| BALS-Prd.-Nr | 31512 |
| EAN | 4024941315128 |
| Product category | TE connector |
| Current | 16A |
| Number of poles | 7p |
| Arrangement of phases | 6p+PE |
| Position of earth contact | 9 h |
| Voltage | 230V~ |
| Frequency | 50/60Hz |

| Product description | |
|------------------------|--|
| Protection degree | IP67 |
| Colour code | blue RAL 5015 |
| Colour of appliance | Enclosure blue RAL 5015, Hinged lid blue RAL 5015, Bayonet ring grey RAL 7035, Cable gland grey RAL 7035 |
| Connection design | with screw terminal |
| Maximum conductor size | 2,5 qmm |
| Cable entry | with cable gland |
| Height | 168mm |
| Width | 87mm |
| Depth | 92mm |
| Material of enclosure | Polyamide |
| Contacts | the contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical properties | |
|---------------------------------|--|
| | For cable diameter from 10 up to max. 21 mm, MULTI-GRIP cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data | |
|----------------|------------------|
| Weight/pcs | 0.295 kg / Piece |
| Packaging | Bag |
| Content amount | 1 ST |

| Logistics data | |
|----------------|---------------|
| EAN | 4024941315128 |
| Length | 92 mm |
| Width | 87 mm |
| Height | 168 mm |
| Weight | 0.296 kg |
| Volume | 1,344.672 ccm |
| Packaging | Carton |
| Content amount | 10 ST |
| EAN | 4024941823715 |
| Length | 258 mm |
| Width | 183 mm |
| Height | 212 mm |
| Weight | 3.102 kg |
| Volume | 8,750 ccm |

