

## Plug - with screwless terminals for harsh applications



| Product description       |                       |
|---------------------------|-----------------------|
| BALS-Prd.-Nr              | 210186                |
| EAN                       | 4024941100236         |
| Product category          | QUICK-CONNECT TE plug |
| Current                   | 32A                   |
| Number of poles           | 3p                    |
| Arrangement of phases     | 2P+PE                 |
| Position of earth contact | 2 h                   |
| Voltage                   | > 50V~                |
| Frequency                 | > 300 - 500Hz         |

| Product description    |  |
|------------------------|--|
| Protection degree      | IP44   |
| Colour code            | green RAL 6002   |
| Colour of appliance    | Cable gland grey RAL 7035, Housing cover green RAL 6002, Collar green RAL 6002                           |
| Connection design      | screwless spring-clamp technology  |
| Maximum conductor size | 6,0 qmm  |
| Cable entry            | with cable gland   |
| Height                 | 180mm  |
| Width                  | 66mm   |
| Depth                  | 79mm   |
| Material of enclosure  | Polyamide  |
| Contacts               | the contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical properties |  |
|---------------------------------|--|
|                                 | For cable diameter from 11 up to max. 23,5 mm, MULTI-GRIP cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.265 kg / Piece |
| Packaging      | Bag              |
| Content amount | 1 ST             |
| EAN            | 4024941100236    |

| Logistics data |               |
|----------------|---------------|
| Length         | 79 mm         |
| Width          | 66 mm         |
| Height         | 180 mm        |
| Weight         | 0.266 kg      |
| Volume         | 938.52 ccm    |
| Packaging      | Carton        |
| Content amount | 10 ST         |
| EAN            | 4024941831772 |
| Length         | 258 mm        |
| Width          | 183 mm        |
| Height         | 212 mm        |
| Weight         | 2.799 kg      |
| Volume         | 8,750 ccm     |

